



MEMBER		No OF	BARS PER MEMB	DIA.	LENGTH		TOTAL NUM- BER	MARK	S C	B E N D I N G				
										A	B	C	D	E/r
ROOF SLAB	2	7	Y12	2500	14	A	35	2300	(100)	(100)				
		3	Y12	1850	6	B	35	1650	(100)	(100)				
		11	Y12	2400	22	C	35	2250	(100)	(100)				
		3	Y12	1050	6	D	35	850	(100)	(100)				
		3	Y12	600	6	E	35	400	(100)	(100)				
		3	Y12	550	6	E1	35	350	(100)	(100)				
STARTER BARS			72	Y16	1500	72	G	37	250	1200				
GROUND SLAB	2	12	Y16	3150	24	H	35	2900	(100)	(100)				
		15	Y16	2500	30	J	35	2250	(100)	(100)				
		8	Y12	900	8	L	83	250	150	200				
		8	Y12	1000	16	F	20	1000						
CHAMBER WALL	4	18	Y12	1950	72	M	35	1750	(100)	(100)				
		18	Y12	2500	72	N	35	2300	(100)	(100)				
		21	Y16	3550	84	P	37	3500	(100)					
		18	Y10	500	18	Q	35	200	(250)	(250)				
PLINTH (PIPE SUPPORT)	2	7	Y12	1500	14	V	54	250	850	(100)				
		4	Y12	2200	8	W	55	150	300	1400	300	150		
		2	Y12	450	2	X	38	100	320	(100)				
PIPE OPENING	2	8	Y12	1400	16	Y	20	1400						
LIFTING HOOK	1	4	Y12	1100	4	Z	53	300	245	75	245	(300)		
	8	10	12	16	20	25	32	40	TOT	BENDING SCHEDULE				
R Y		4	460	1013					1477	CHAMBER 13				
TOT		4	460	1013					1477					

[illegible]