

**City of Johannesburg**

Johannesburg Water SOC Ltd

Turbine Hall
65 Ntemi Piliso Street
Newtown
JohannesburgJohannesburg Water
PO Box 61542
Marshalltown
2107Tel +27(0) 11 688 1400
Fax +27(0) 11 688 1528www.johannesburgwater.co.za

<u>ADDENDUM</u>	No. 01
<u>CONTRACT NUMBER:</u>	JW OPS 049/25
<u>CONTRACT TITLE:</u>	SUPPLY, DELIVERY, INSTALLATION AND REPLACEMENT OF CUSTOMER METER (T-CODE MAINTENANCE) FOR A PERIOD OF 36 MONTHS ON "AS AND WHEN" REQUIRED BASIS.
<u>SUBJECT</u>	Addendum 1
<u>Date</u>	21 August 2025
<u>Sender</u>	Gcina Ndela 011 688 1796 gcina.ndela@jwater.co.za Nosipho Gulwa 011 689 9193 nosipho.gulwa@jwater.co.za

Tenderers are required to incorporate the following documents into the tender document and return the Addendum:

- Amendment and replacement of the Local Production and Content Declaration (MBD 6.2), specifically to include 20mm diameter domestic water meters on page RD 23 and RD 27 of Annexure C.

Yours faithfully

25.08.2025

Ithuteng Tabe

Acting General Manager: Supply Chain Management**Addendum Received****Name of****Tenderer:**.....**Signatory:**.....**Signature:**.....**Date:**.....**Directors:**

Ms Dineo Majavu (Chairperson), Mr Ntshavheni Mukwevho (Managing Director and Executive Director),
Mr Kgaugelo Mahlaba (Chief Financial Officer and Executive Director), Mr Sipho Mthembu, Ms Zandile Meeleso, Mr Pholoso Matjele,
Mr Kgaile Mogoye, Mr Molate Mashifane, Ms Pamela Mabece, Mr Collen Sambo, Mr Makoko Makgonye, Ms Thabiso Kutumela,
Mr Kefiloe Mokoena

Ms Kethabile Mabe (Company Secretary),

Johannesburg Water SOC Ltd

Registration Number: 2000/029271/30

2.8 **"stipulated minimum threshold"** means that portion of local production and content as determined by the Department of Trade and Industry; and

2.9 **"sub-contract"** means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.

3 The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

ITEM NO.	DESCRIPTION	Local Content Threshold
Domestic Meters		
3.1.1 (a)	15mm diameter	40%
3.1.1 (b)	20mm diameter	40%
3.1.1 (c)	25mm diameter	40%

4 Does any portion of the services, works or goods offered have any imported content?

(Tick applicable box)

YES		NO	
-----	--	----	--

4.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by the SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

5. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the Accounting Officer / Accounting Authority provide directives in this regard.



a world class African city

Contract No JW OPS 049/25
Description : SUPPLY, DELIVERY,
INSTALLATION AND REPLACEMENT
OF CUSTOMER METER (T-CODE MAINTENANCE)
PERIOD OF 36 MONTHS ON "AS AND WHEN" REQUIRED

Volume 1 Tender and Contract
T2.1 and T2.3 List of Returnable Documents



		Calculation of local content						Tender summary			
Tender item no's	List of items	Tender price Year 1- each (excl VAT)	Ex-empted imported value	Tender value net of ex-empted imported content	Im-ported value	Local value	Local content % (per item)	Tender Qty	Total tender value	Total ex-empted imported content	Total Im-ported content
(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
Domestic Meters											
3.1.1 (a)	15mm diameter							1			
3.1.1 (b)	20mm diameter							1			
3.1.1 (c)	25mm diameter							1			