

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

<u>CONTRACT TITLE:</u>	ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL PROTECTIVE EQUIPMENT (PPE)
<u>DEPARTMENT:</u>	OPERATIONS
<u>DATE OF MEETING:</u>	31 AUGUST 2026
<u>TIME OF MEETING:</u>	13:00 PM
<u>VENUE FOR MEETING:</u>	FFENNELL TRAINING CENTRE [FFENNELL ROAD DEPOT]
<u>CLOSING DATE:</u>	08 SEPTEMBER 2026
<u>TIME:</u>	10:30 AM

1. WELCOME

Ms Maria Chirindze welcomed everyone who attended the meeting and introduced JW personnel.

NAME & SURNAME	EMAIL ADDRESS	DEPARTMENT
Maria Chirindze	maria.chirindze@jwater.co.za	Supply Chain
Lenah Motaung	lenah.motaung@jwater.co.za	Operations
Siphosethu Mazibuko	Siphosethu.Mazibuko@jwater.co.za	Operations

2. CONTACT PERSONS

Ms Lenah Motaung

Email: lenah.motaung@jwater.co.za

Telephone number:011 688 1945

Ms. Gcina Ndela

Email:gcina.ndela@jwater.co.za

Telephone number:011 688 1796

3. SCM – ADMIN AND BID DOCUMENTATION PRESENTATION BY MS MARIA CHIRRINDZE

- Ms Maria Chirindze indicated that this is an open tender and the meeting is **COMPULSORY**, therefore bidders who did not attend the meeting will NOT be considered for this tender.
- Tender documents are available in PDF format at no cost on Johannesburg water website and eTenders.gov.za as of 25 August 2026.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

- Tender documents need to be bound and contain all pages. Tenderers, therefore, need to ensure that the tender document is submitted in its entirety with no pages or parts missing. The order of the documents must be as set out as on the Web page and all pages arranged correctly.
- The tender document must be filled in using black ink only, any other colour pen or pencil is prohibited.
- Tender documents may be completed electronically without altering or tampering of any of the text (terms, conditions, specifications etc.) in the tender documents.
- Any mistakes must be struck off and corrected with a single black ink line and signed (authenticated) by the tenderer..
- The use of correction fluid (Tippex) to correct mistakes is not allowed and if used the tender will be disqualified.
- The tender document must be completed in full, and all the forms must be fully completed and signed accordingly. Tenderers must not leave any blank spaces upon completion of the tender document.
- Tenderers must refer to the checklist on page 5 to 8 of the tender document for guidance of information required.
- Make sure that your Pricing Schedule is fully completed and signed
- Each bid must be submitted in a separate, properly sealed envelope/ package on which the Name, email address and telephone number of the tenderer must be indicated. The Tender number and Description must be clearly written on the envelope/ package.
- Tender documents submitted via courier services will be accepted provided that the bidder instructs such courier company or its representative to deposit the tender document in the tender box provided. Under no circumstances should tender documents be handed to an employee of JW. JW will not be held liable for any documents that are not in the tender box at the time of closing.
- Tender documents **may not** be submitted via the South African Post Office as only tender documents received in the Tender box at the time of closing will be considered.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

- Tenderers must make sure that they read and understand the requirements of the tender. Should tenderers need any clarity, they are encouraged to email the contact person **Gcina Ndela and Lenah Motaung** (contact details are on the cover page of the tender document).
- Tenderers are required to submit a hard copy document and an electronic copy on a USB flash drive, however tenderers who did not submit the USB will not be disqualified.
- Electronic submissions of tenders are **NOT** allowed.
- Tenderers must be registered on Central Supplier Database (CSD) and provide their registration MAAA**** number on the cover page of the tender document. Tenderers must ensure that they are always tax compliant on CSD.
- The 80 / 20 points scoring system will be applicable to this tender. 80 points will be allocated to Price and the remaining 20 points will be for specific goals.

SPECIFIC GOALS POINTS ALLOCATION AS PER THE DOCUMENT

- **20** points for Business owned by 51% or more-**Women**
- For Joint Venture Agreements, Consortiums or equivalent, the agreement must show percentages of ownership and work to be completed by each party. This agreement must form part of the tender submission.
- To determine the Joint Venture, Consortium or equivalent score for specific goals, JW will look at the consolidated BBBEE certificate to determine the points for specific goals that will be awarded to the tenderer. If a consolidated BBBEE certificate is not submitted, the parties to the joint venture, consortium or equivalent must submit their individual BBBEE certificates issued by a SANAS accredited verification agency or the documents listed below on 4.4 and the joint venture, consortium or equivalent agreement for JW to determine the proportional points for specific goals.

Documentation to be provided:

- JV, Consortium, or equivalent agreement
- Consolidated BBBEE certificate issued by an SANAS accredited verification agency. Certificate must be valid

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

- JV, Consortium, or equivalent agreement to contain percentage ownership which will be used to determine the proportional points for specific goals.
- Tenders will be valid for 90 days after the closing date or any other duration agreed to by the tenderer and JW prior to tender validity expiring.
- Co-bidding is prohibited. (Tenderer being a member / owner / shareholder in more than one consortium / entity for the same project). Please read MBD 9 Certificate of Independence prior to signing the declaration.
- Tenderers are encouraged to truthfully declare all other company interests they may have, with specific reference to Question 3.14, of which if not fully completed, might lead to disqualification. Tenderers are encouraged to utilise the CIPC bizportal (www.bizportal.gov.za) , free registration to check the companies for which a director is a director for. This can be done by inserting an ID number for the director tendering and the portal will show all companies, whether active or not.
- No bids will be considered from persons in the service of the state.
- Tenderers must recheck on the JW website and etender page for any communication send to tenderers as there might be a problem with the emails send to the tenderers. This communication might include addendums to tender for extension of closing dates, changes in the tender specification, changes in pricing schedules, or any other matter affecting the tender in question, and which might have an impact on how tenderers respond.
- Tenders will be opened in public soon after the closing time and recording of received documents but not later than 11:00 at the tender office located at Turbine Hall, 65 Ntemi Piliso Street, Newtown, 2001, ground floor. Tenderers' names and total prices, where practical will be read out.
- Tenderers are encouraged to note the closing date and time of the tender; late tenders will not be accepted. The closing date for this tender is 08 September 2026 at 10:30.
- All bids are to be deposited in the tender box allocated on the ground floor at No.65 Ntemi Piliso street Turbine Hall, Newtown.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

SUPPORTING DOCUMENTS TO BE SUBMITTED WITH THE TENDER DOCUMENT

1. SARS one-time TAX PIN
2. Where business and/or director premises are owned, a municipal rates and taxes statement of account must be submitted (not older than three (03) months and NOT IN ARREARS for more than 90days). If in arrears an acknowledgement of debt agreement must be entered into with municipality concerned and submitted with the tender.
3. Where business and/or director premises are leased/ hired/ rented, a valid lease agreement should be submitted duly signed and indicating the address at which the business is situated and where the director resides. The lease should be valid and active at time of tender submission and closing.
4. Joint Venture / Consortium Agreement signed by all parties.
5. Valid BBBEE Certificate issued by a SANAS accredited verification agency or copy thereof or a valid (EME/QSE) sworn affidavit/ or CIPC EME affidavit
6. A completed and signed Invitation to Bid form MBD 1
7. A completed and signed Declaration of Interest form MBD 4
8. MBD 5 and 3-year financial statements (audited where applicable) , especially in instances where the tendered value is estimated to exceed R10million including VAT.
9. A completed and signed Preference Points (Specific Goals) Claim Form MBD 6.1
10. completed and signed Declaration of Local content and production declaration - Completed and signed. MBD 6.2
11. A completed and signed Declaration of Bidder's Past Supply Chain Management Practices MBD 8
12. A completed and signed Certificate of Independent Bid Determination (MBD 9)

Tenderers will be notified of any omitted, outstanding, missing or incomplete administrative documents and will be offered a period of three (3) days to complete or submit those pages i.e., Municipal Bidding Documents (MBD), authority to sign and other administrative documents that require completion and signatures. These exclude documentation on functionality, price, points for specific goals and MBD 6.2

Tenders that are received contrary to the above requirements will be disqualified after three (3) days period has lapsed

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

MS LENA MOTATUNG TOOK THE BIDDERS THROUGH THE BELOW

GENERAL

All items supplied must be as follows:

- They must be in accordance with the specified requirements.
- Items offered must be certified to the relevant SANS specifications and bear the certification bodies mark of approval where applicable as specifically stated.
- Delivered and offloaded at various JW depots and other designated sites between 07:30 am and 03:00 pm.

REQUIREMENTS

The following items are expected to be supplied, delivered and offloaded by the appointed service provider on an “as and when” required basis when issued with an official order.

D59 Welder’s 2-piece overalls. The overalls shall comprise of matching jackets and trouser, manufactured from a SANS certified and mark bearing navy blue 100% cotton, chemically treated to resist heat and sparks, fabric. With silver reflective stripes of at least 25mm wide securely sewn on the elbow and knees. The jacket and trouser must be triple needle stitched for extra strength. The jacket must include a concealed YKK zip or equivalent with two large front pockets and a chest pocket with press stud closure and pen pocket. The trouser must include a concealed YKK zip or equivalent with bar tracks on all stress points and an elasticized back with two slant pockets and a back pocket. The 2-piece overalls must be SANS 434 approved and bear their mark of approval.

Branding:

Jacket

Front: Full colour screen print – CoJ & JW logo - (Front: left side, one on top of the other) Financial Year (Front: right side)

Back: Full colour screen print, JW Logo (plus wording “Metering & Revenue” at the back of the jacket when required)

Pants

Full colour screen print (CoJ and JW logos), Left pocket, logos side by side.

Conti suits, 2-piece acid resistant. The overalls shall comprise of matching jackets and trouser, manufactured from green 65/35 polycotton fabric which is chemically treated to repel acid splashes, oil, and water, with the JW logo silk-screened on the back and the JW logo and City of Johannesburg logo one on top of the other on the left breast side. Silver reflective stripes of at least 25mm wide must be securely sewn on the elbow and knees. The jacket and trouser must be triple needle stitched for extra strength. The jacket must include a concealed YKK zip or equivalent with two large front pockets and a chest pocket with press stud closure and pen pocket. The trouser must include a concealed YKK zip or equivalent and zip guard with bar tracks on all stress points and an elasticized back with two slant pockets and a back pocket. Products that have been

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Jacket

Front: Full colour screen print – CoJ & JW logo (Front: left side, one on top of the other)
Financial Year (Front: right side)

Back: Full colour screen print, JW Logo

Pants

Full colour screen print (CoJ and JW logos) left pocket, logos side by side.

DW-ARC15 Conti suits. The overalls shall comprise of 2-Piece collared 15cal/cm² long sleeve Navy Blue conti suit (Jacket and Pants), manufactured from 88% Cotton 12% Nylon fabric with the JW logo silk-screened on the back. Left breast side silk screen full colour print of the City of Johannesburg and JW logos on the left breast side of the jacket. Silver flame retardant, reflective strips of 50mm width must be securely sewn on the elbows and ankles. Compliance & Conformity. Complies to marking SANS 724, IEC 61482-1-1, IEC 61482-1-2, EN 61482-1-2:2014, NFPA 2112, NFPA 70E, ASTM F1959, ASTM F2621-12, EN 11611:2015 and EN 11612:2015.

Jacket features:

- Silver flame retardant, reflective tape on sleeves for enhanced visibility.
- Front opening with concealed flame-retardant brass zip and Velcro strips closure for ease of putting on and taking off.
- Seams with triple needle topstitching for added durability.
- Sleeves feature a flame-retardant knitted cuff providing a great seal when used with gloves and prevents sleeves from rolling upwards.
- ATPV 15 cal/cm² embroidery on right hand side of chest for garment suitability identification.
- 2 Rounded waist pockets with concealed flame-retardant Velcro strip closure. Side slits for better fit over waist.

Pants features:

- Silver flame retardant, reflective tape on legs for enhanced visibility.
- Front opening with concealed flame-retardant brass zip, Velcro strip and metal button closure for ease of putting on and taking off.
- An elasticated waist with 7 belt loops.
- Seams with triple needle topstitching for added durability.
- Front with side swing pockets.
- ATPV 15 cal/cm² embroidery at centre of left back panel for garment suitability identification.
- Ruler pocket on the right back leg

Branding:

Jacket

Front: Full colour screen print – CoJ & JW logo (Front: left side, one on top of the other)
Financial Year (Front: right side)

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

Back: Full colour screen print, JW Logo

Pants

Full colour screen print (CoJ and JW logos) left pocket, logos side by side.

Rain Suits. The rains suits must be a yellow 2-piece virgin PVC high-performance and heavy-duty suit with printed 50mm silver reflective stripes on elbows and knees, comprising an anorak, fixed hood with draw string, concealed zip and storm flap jacket with a reinforced trouser crotch and elasticized waistband with snap stud closing at ankle. Material to be triple coated yellow PVC with electro-welded seams. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Jacket

Front: Full colour screen print – CoJ & JW logo (Front: left side, one on top of the other) Financial Year (Front: right side)

Back: Full colour screen print, JW Logo

Wording (back of the jacket when required) – Metering & Revenue (Silk-screen printing)

Pants

Full colour screen print (CoJ and JW logos) left pocket, logos side by side.

Reflective Bibs. The reflective bib must be 100% polyester with a 25mm silver reflecting cross netted with JW logo and bindings on all ends. Colour: Orange. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval

Branding:

Full colour screen print – CoJ & JW logo

Front: left side, one on top of the other

Back: Full colour screen print, JW Logo

Wording: Metering & Revenue

Financial Year

Reflective Jacket. The reflective jacket must be 100% polyester with a YKK zip or equivalent front and I.D pocket, 50mm silver reflecting tape and bindings on all ends with JW logo. Colour: Orange. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Printing on Jacket

Full colour screen print – CoJ & JW logo

Front: left side, one on top of the other

Back: Full colour screen print, JW Logo Financial Year

Branding:

Full colour screen print – CoJ & JW logo - (Front: left side, one on top of the other) Back: One

Wording (When required): Metering & Revenue.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

Aprons, for welders, chrome leather Grade A, long and heavy duty with red edging. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Spats chrome leather Grade A, ankle length with 2 straps with durable and heavy-duty buckles. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Spats chrome leather Grade A, knee length with 4 straps with durable and heavy-duty buckles. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Yokes chrome leather Grade A, long sleeve and heavy duty with red edging and press studs. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Leggings chrome leather Grade A, heavy duty. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Gauntlets chrome leather Grade A, heavy duty. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders' trousers chrome leather Grade A, heavy duty. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Welders Jackets chrome leather Grade A, heavy duty. Products that have been assessed and certified by a SANAS accredited certification body to the latest edition of SANS 316 specification will take preference and shall bear the certifications body's mark of approval.

Disposable Laboratory coats with Velcro strip, white, spun-bound non-woven polypropylene fabric, single collar and elastic cuff; 30g. Products that have been assessed and certified

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Disposable Mop cap, white, 12gsm spun bound non-woven polypropylene fabric with dual elastic band. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Disposable non-skid sole cover, white, spun bound non-woven polypropylene fabric with dual elastic band. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Gloves, Candy stripe pig skin working glove, leather Palm Fabric (Candy) Back Glove. Pig split leather palm, thumb, back, knuckle, pull & tips. Gunn cut, wing thumb half cotton lined, cotton drill candy back, shirred with a 7cm cotton safety cuff. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN 407.

Gloves, Cut and high resistant glove, Taeki5 or similar approved glove with a cut level of 5. SANS approval or tested in accordance with the European directive for PPE (89/688/EEC) and tested to EN388 or EN 388 or EN407with the European directive for PPE (89/688/EEC) and tested to EN388 or EN 388 or EN407.

Gloves, green chrome leather, double padding on palm and finger area, 200mm cuffs, heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, green chrome leather, double padding on palm and finger area, 400mm cuffs, heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, PVC, lightweight, cotton flock inner lining, embossed grip finish, suppleness to allow freedom of hand movement, and waterproof, 200mm cuff heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, PVC, lightweight, cotton flock inner lining, embossed grip finish, suppleness to allow freedom of hand movement, and waterproof, 400mm cuff heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, PVC, lightweight, cotton flock inner lining, embossed grip finish, suppleness to allow freedom of hand movement, and waterproof, shoulder length heavy duty. SANS

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, PVC, lightweight, cotton flock inner lining, and chip palm grip finish, suppleness to allow freedom of hand movement, and waterproof, 200mm cuff heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Gloves, PVC, lightweight, cotton flock inner lining, chip palm grip finish, suppleness to allow freedom of hand movement, and waterproof, 400mm cuff heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Nitrile gloves, powder free. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Welder's gloves blue cow split leather, lined with cotton padding. Yoke at the thumb, fingertips and hand stitching. 400mm cuffs heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407.

Welder's gloves blue cow split leather, lined with cotton padding. Yoke at the thumb, fingertips and hand stitching, shoulder length heavy duty. SANS approval or tested in accordance with the European directive for PPE (89/686/EEC) and tested to EN388 or EN407

Elbow Length kitchen rubber gloves

- Chemical resistance
- Airtight
- Elastic
- Made from C-type or CL-type rubber
- Extra-long arm length
- Suitable for working with acid in the laboratory

Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certification body's mark of approval.

Heat resistant gloves

- Resist contact heat of up to 250°C
- Made from durable cowhide leather
- Non-Slippery fingertips

Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certification body's mark of approval.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

Extra-long high temperature resistance gloves

- Resist contact heat of up to 500°C.
- Made from Kevlar material
- Suitable for working with a furnace
- Elbow length arm protection

Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Household Bi-color 300mm Flock lined latex gloves CE approved

B Chemical Bi-color Neo latex cotton lined gloves CE approved

Extended cuff shoulder length PVC sewer gloves CE approved

Hard Hats light weight and comfortable high-density polyethylene with fully adjustable headgear suspensions. Shall be supplied with slots onto which a range of accessories can be mounted (e.g. earmuffs and etc.) with a breathable, washable and removable sweat band. Shall conform to SANS 1397 specifications and bear their mark of approval. Shall also be DME certified.

Ear Plugs, QD30 or similar approved disposable, easy assembly, reusable ear plugs with cord, flat noise attenuation, easy to lug and use, CI (Chief Inspector) number. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Earmuffs, Noise reduction rating (NRR) of at least 26. To be supplied with instruction leaflet/manual, CI (Chief Inspector) number. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval. Spectacles, anti-chemical lens coating, light weight, soft nose pad. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Spectacles, anti-chemical lens coating, light weight, soft nose pad. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

specification will take preference and shall bear the certifications body's mark of approval.

Spectacles, light weight, anti-abrasive and anti-scratch. Angle of lens must be adjustable to at least three positions. Acceptable fit and comfort, impact resistant. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval

Goggles, multi-purpose, soft PVC with indirect vents for use in a chemical environment, anti-fog acetate lens and must be capable of being worn with respirators. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Full face shield, clear lens, for use during grinding. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Welding Goggles green soft PVC frame ventilation on top and bottom, including 1piece clear lens and 1piece green shade 5 glass lens. Shall be EN166 and EN175 approved.

Welding Helmet, tough, robust and light weight. To be fitted with ratchet type headgear and supplied with shade 10 filter and cover lens. Thermoplastic, flip up type with cap attachment for safety cap and face shield. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Translight helmet for welders, self-adjusting. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Welder's face shield. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Clear face shield chemical splash resistant with 1mm poly carbonate lens for laboratory use. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Dust Coats, khaki, 2 side pockets and a breast pocket and silk-screened JW logo and the City of Johannesburg logo on left hand breast side. Products that have been assessed and

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Full colour embroidery – CoJ &JW logo

Front: left side, one on top of the other)

Financial Year

Laboratory Coats, white, acid resistant, 2 side pockets and a breast pocket with press studs and silk-screened JW logo and the City of Johannesburg logo on left hand breast side. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Full colour embroidery – CoJ &JW logo

Front: left side, one on top of the other)

Financial Year

Laboratory Coats, navy blue, acid resistant, 2 side pockets and a breast pocket with press studs and silk-screened JW logo and the City of Johannesburg logo on left hand breast side. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Full colour embroidery – CoJ &JW logo

Front: left side, one on top of the other)

Financial Year

Acid resistant 100% PVC 600g apron, for laboratory use. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Branding:

Jacket

Full colour screen print – CoJ &JW logo (Front: left side, logos side by side)

Financial Year

Safety Durable white Bee Jackets with detachable Bee Veil Hood, Washable Bull Demin material Chest pocket and high-quality wrist bands. Products that have been assessed and certified by a SANAS accredited certification body to the relevant SANS specification will take preference and shall bear the certifications body's mark of approval.

Rain Suits. The rains suits must be a yellow 2-piece high visibility polyester PVC with printed 50mm silver reflective stripes on elbows and ankles. Seams shall be reinforced and heat sealed for extra strength. The rain suit shall comprise of a stow away, clear side, panel hood with adjustable cord, concealed elastic cuff and draw cord in jacket hem

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

with air vents under the arm and upper back. The trousers must include an elasticized waistband and ankle poppers on trouser hem.

Branding:

Jacket

Front: Full colour screen print – CoJ & JW logo (Front: left side, one on top of the other)
Financial Year (Front: right side)

Back: Full colour screen print, JW Logo

Wording (back of the jacket when required) – Metering & Revenue (Silk-screen printing)

5.5. Size Guides for Overalls

Please note below the guidance for sizes of the overalls.

Overalls Size Guides	
Jacket	Waist
28	24
30	26
32	28
34	30
36	32
38	34
40	36
42	38
44	40
46	42
48	44
50	46
52	48
54	50
56	52
58	54
60	56
62	58

NO.	MANDATORY CRITERIA	COMPLY
1.	Mandatory Tender Briefing Meeting	Yes
2.	Signed Pricing Schedule and completed rates for items offered.	Yes

DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

Technical Requirements

The following criteria will be applicable.

PART A: TENDERER'S EXPERIENCE					
CRITERIA NO.	CRITERIA	EVIDENCE	SUB-CRITERIA/CLAUSE	MAX SCORE	SCORE
1	TENDERER'S EXPERIENCE The Tenderer (Company) is required to have experience of at least five projects or contracts in the supply and delivery of Personal Protective Equipment (PPE) completed satisfactorily and successfully.	The Tenderer (Company) must provide relevant reference letter(s) with proof that they have at least five projects/contracts experience in the supply and delivery of Personal Protective Equipment (PPE) completed satisfactorily and successfully. NB: The attached reference template must be completed and signed by the referee and included in the tender submission. Alternatively, the client's letterhead may be used for this purpose provided it complies with the functional criteria requirements.	Successful and satisfactory experience in the supply of personal protective equipment (PPE)	55	
			0 projects /contracts or submissions not meeting requirements.		0
			5 to 8 projects/contracts		33
			9 projects/contracts or more		55
2	CAPACITY TO SUPPLY The Tenderer (Company) is required to have capacity in the supply of Personal Protective Equipment (PPE) supported by at least a consolidated contract/project value of R 500 000.00.	The tenderer must provide reference letter(s) which will stipulate the value of projects/ contracts completed successfully and satisfactorily for the supply and delivery of Personal Protective Equipment (PPE). NB: The attached reference template must be completed and signed by the referee and included in the tender submission. Alternatively, the client's letterhead may be used for this purpose provided it complies with the functional criteria requirements.	Consolidated Value of at least R 500 000.00 of the Contracts/Projects for successful and satisfactory supply of Personal Protective Equipment (PPE)	45	
			Less than R 500 000		0
			R 500 000 to less than R 800 000		27
			R 800 000 or more		45
The tenderer is required to obtain a minimum of 60 points to be evaluated further on samples					
MINIMUM QUALIFYING SCORE				60	
TOTAL				100	

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

QUESTIONS AND ANSWERS

Question	Answer
1. For the technical evaluation, can we submit a valid signed Purchase Order (PO) or Delivery Note as proof of experience?	No. The requirement is for a reference letter, either on the Johannesburg Water (JW) reference template or on the referee's official letterhead. If the referee's letterhead is used, the content of the letter must contain the information required in the JW reference template.
2. How many tenderers will be awarded?	The award will be made to the highest preference-ranking qualifying tenderer in terms of price and specific goals per item, in line with the objective criteria stipulated in the tender document. There are approximately 51 items, and tenderers may bid for one, several, or all items. The award will therefore be determined per item, subject to the applicable evaluation and award criteria.
3. How will ongoing projects be assessed for purposes of the technical evaluation?	Where an order has been completed under an ongoing contract, the referee may provide a reference for that specific completed order, confirming that the work was completed satisfactorily and successfully. The reference must clearly indicate the start and end dates of the completed project/order, as well as the required information stipulated in the reference template.
4. Should we submit SANS or SABS certificates?	No. SANS or SABS certificates are not a requirement for this tender, unless specifically required for a particular item in the tender specification. Bidders are allowed to submit the certificates during sample submission however, it is not a requirement.
5. Will the award be based on the highest favourable price or highest quality?	The tender will be evaluated in accordance with the stipulated 80/20 preference point system, with 80 points allocated to price and 20 points allocated to specific goals. The award will be made to the highest preference-ranking qualifying tenderer per item, in accordance with the tender conditions and applicable objective criteria.
6. Some municipalities specify particular brands in their specifications. Can Johannesburg Water advise whether it has a preferred brand?	Johannesburg Water cannot comment on the requirements or preferences of other municipalities. Johannesburg Water does not favour or prefer any particular brand. Tenderers are required to ensure that their proposed products comply with the minimum technical and quality requirements stipulated for each item in the tender specification.
7. Can multiple tenderers be awarded the same item?	No. The items will not be split between multiple tenderers. The intention is to award one qualifying tenderer per item, in accordance with the stipulated evaluation and award criteria.
8. Can shortlisted tenderers submit multiple samples of the same item for the BEC to choose from?	Multiple samples of the same item may be submitted. However, Johannesburg Water prefers that tenderers carefully check the tender requirements against their intended offer before submitting samples and ensure that the sample is fully compliant with the specification. Tenderers are encouraged to submit a compliant sample to avoid the need for multiple samples.
9. Why does the pricing schedule not have provision for price escalation in case the award is made several months after tender closing?	This is a once-off procurement, and therefore price escalation is not applicable. As stipulated in the Special Conditions of Tender, the prices submitted by tenderers must remain valid for 90 days.
10. Is this a bulk purchase, or will deliveries be required to multiple Johannesburg Water sites?	The applicable delivery locations for each item will be confirmed when the official orders are placed by Johannesburg Water.

JW OPS 008/24R
DESCRIPTION: ONCE OFF SUPPLY, DELIVERY AND OFF-LOADING OF PERSONAL
PROTECTIVE EQUIPMENT (PPE)
TENDER BRIEFING - MINUTES

11. Is the evaluation only a desktop evaluation, or will there also be a physical evaluation/site inspection?	The evaluation does not comprise of a site evaluation for this tender.
12. The estimated quantities, particularly for items such as aprons where the quantity is indicated as 24, are these quantities per depot or for the whole of Johannesburg Water?	The quantities indicated in the pricing schedule are for the entire procurement/contract and are not quantities per depot. The estimated quantity therefore represents the total anticipated requirement for Johannesburg Water. However, the exact quantities required will be confirmed on the actual issued order.

CLOSURE

Should bidders need any clarity, all queries are to be submitted 10 days before the closing date.

Ms Maria Chirindze thanked all who attended the briefing, and the meeting was adjourned